

KOLAR DIVISION.

Notice, dated 31st March 1899.

Notice is hereby given that sealed tenders will be received at the office of the Executive Engineer, Kolar Division, up to 25th April 1899 (inclusive) for restoring Yerragudi Tank Reg. No. Bagepalli taluk. An approximate estimate of quantities is given below. These quantities are guaranteed. The work should be completed by the end of June 1900.

2. The plans, detailed estimate, and conditions may be seen at the Executive Engineer's at Kolar, between the hours of 11 A. M. and 5 P. M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 100 in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for restoring Yerragudi Tank Reg. Bagepalli taluk, in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Superintending Engineer, Eastern Circle who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within 8 days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which, his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted will be posted on the notice board in the Executive Engineer's office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned. Approximate quantity of work required for restoring Yerragudi Tank Reg. No. 106, Bagepalli taluk—

Bund—	Items of work.	Per.	
Turfing	S. yds.	
Earthwork	C. yds.	
Breach filling	"	
Grade stones with bottom and index stones including numbering	No.	
Bell stones	"	
Tank No. stones	"	
Gauge stones	"	
Clearing jungle and cutting trees	L. S.	
Benching rock, &c.	"	
Core wall, brick in surki mortar	C. ft.	
Old stone work	C. yd.	
New stone work	"	1,
Sluice No. 2—			
Cutting and refilling	C. yd.	7
Earthwork excavation	"	
Burnt brick in surki mortar	C. ft.	1,08
Burnt stone slabs	S. ft.	5
Plastering with mortar	Sqr.	8
Cutting orifice stone with plug, &c.	L. S.	Rs. 1
No. 1 Sluice—			
Cutting and refilling	C. yd.	75
Earthwork excavation	"	2
Burnt brick in surki mortar	C. ft.	1,08
Burnt stone slabs	S. ft.	53
Plastering with mortar	Sqr.	80
Cutting orifice stone with plug, &c.	L. S.	Rs. 1
Sluice No. 3—			
Constructing a tunnel in codi right	L. S.	5
Left codi 50 feet long—			
Benching rock	S. ft.	16
Burnt brick in surki mortar	C. ft.	26
Burnt stone slabs	S. ft.	13
Plastering with mortar	Sqr.	30
Burnt stone in chunam, including pointing	C. ft.	49
Rough stone work	C. yd.	
Date stone cutting in coping slab	L. S.	Its.
Right codi 140 feet long—			
Earthwork excavation	C. yd.	1
Burnt brick in surki mortar	C. ft.	2,2
Burnt stone in chunam	C. ft.	8
Plastering with mortar	Sqr.	11
Pointing with chunam	"	2
Burnt stone slabs	S. ft.	7
Rough stone saji cut	C. yd.	
Repairing the old apron	L. S.	Rs.
Rough stone work	C. yd.	

The 15th March 1899.

Notice is hereby given that sealed tenders will be received at the office of the Executive Engineer, 1st division, up to 15th April 1899 (inclusive) for restoring Kadabur Tank, Reg. No. 179, Goribidnur taluk. An approximate estimate of quantities is given below. These quantities are not guaranteed. Work should be completed by the end of June 1900.

2. The plans, detailed estimate, and conditions may be seen at the Executive Engineer's office between the hours of 11 A. M. and 5 P. M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement, in the form given below, showing the prices at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 200 in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for restoring Kadabur Tank, Reg. No. 179, Goribidnur taluk", in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Chief Engineer, who does not bind himself to accept the lowest or any tender, or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the notice board in the Executive Engineer's office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

Approximate estimate of quantities for restoring Kadabur Tank, Registered No. 179, Goribidnur taluk.

Items.	Per.	Quantity.
and—		
Earthwork	C. yds.	19,479
Old stone work	"	510
New stone work	"	2,598
Turfing	S. yds.	6,713
Grade stones	Each.	30
B. M. stones	"	2
Gauge stone	"	1
Year stone	"	1
Tank No. stone	"	1
Prices Nos. 1 & 2—		
Earthwork	C. yds.	512
Burnt brick in surki	C. ft.	1,746
Burnt stone slabs	S. ft.	442
Chunam plastering	Sqr.	12,64
Gibbet stones	L. S. 20	
Cutting orifice and fixing plug	" 10	
Waste weir—		
Earthwork	C. yds.	588
Burnt brick in surki	C. ft.	642
Burnt stone, dry	C. yds.	41
Chunam plastering	Sqr.	3,80
Rough stone subject	C. yds.	84
Burnt stone slabs	S. ft.	329
Anicut—		
Surki concrete	C. ft.	6,229
Burnt stone in surki mortar	"	5,316
Burnt stone slabs	S. ft.	993
Rough stone in surki mortar	C. ft.	2,294
Shutter for scouring sluice including grove stone	L. S. 100	
Baling water	" 200	
Excavation in sand and clay, &c.. .. .	" 300	
Flank bund—		
Earthwork	C. yds.	1,552
Burnt stone, dry	"	184
B. M. stones	Each.	2
Year stone	"	1
Head sluice—		
Two vents (3' x 3')	"	
Concrete	C. ft.	389
Burnt stone in surki mortar	"	1,361
Burnt stone slabs	S. ft.	126
Teakwood shutters, &c., including grove stone, &c., complete	Each.	2
Baling water	L. S. 50	
Excavation, &c.	" 50	

Items.	Per.	Quan.
Relieving weir—		
Earthwork	L. S. Rs	60
Burnt brick in surki mortar	C. ft.	2,67
Burnt stone slabs	S. ft.	1,01
Chunam plastering	Sqr.	8.5
Chunam pointing	"	6.51
Concrete	C. ft.	40
Rough stone suicut	C. yds.	62
Earthwork at flank	"	200
Burnt stone, dry	"	48
Cutting groves	L. S. Rs.	10
Teakwood shutter, complete	"	40
Masonry drop at 1000th link—		
Excavation	L. S. Rs.	10
Brick in surki	C. ft.	226
Hammer dressed stone in chunam	S. ft.	253
Burnt stone slabs	Sqr.	98
Chunam plastering	"	1.00
Chunam pointing	C. ft.	1.00
Concrete	"	22
Channel proper—		
Hard soil	C. yds.	9,595
Soft rock	"	803
Mile stone	Each.	1
Index stones	"	14
Bed grade stones	"	15

V. ARUNACHALA MUDALIAR, *Offg Exec. Engr.*

CHITALDRUG DIVISION.

The 8th March 1899.

Notice is hereby given that sealed tenders will be received at the office of the Executive Engineer, Chitaldrug division, up to 15th of April 1899, for constructing a new tank at Parasurampur Chalakere taluk. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of June 1902 A. D.

2. The plans, detailed estimate, and conditions may be seen at the Executive Engineer's office at Chitaldrug between the hours of 11 A. M. and 5 P. M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement, in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 500 (five hundred only) in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for constructing a new tank at Parasurampur, Chalakere taluk," in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Chief Engineer, who does not bind himself to accept the lowest or any tender, or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the notice board in the Executive Engineer's office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

Bund—	Description of work.	Unit of work.	Rate per unit.
Digging seat of bund		C. yds.	10,444
Clearing silt (halla)		"	21,413
Earthwork to bund (gravelly soil)		"	39,376
Black cotton soil mixed with gravel		"	86,504
Earthwork from kodi cutting		"	4,127
Black cotton mixed with gravel to be carted from a distance (breached).		"	107,635
Turfing		S. yds.	36 348
Grade stones		No.	64
New stone work		C. yds.	17,530
Top width stone		No.	64
Bench mark stone		"	2
Date stone		"	1
Gauge stone		"	1
Tank No. stone		"	1
Baling water by engine, halla by deep and springs powerful		L. S.	